

10/714,330

EAST SEARCH NOTES (cont.)

Part (I) SEARCH STRATEGY

Part (II) SEARCH RESULTS

Part (III) Results Identified As Follows

- (C) DOCUMENTS CITED BY EXAMINER ON PTO-892
 - (1) HIGHLY RELEVANT [X-TYPE] DOCUMENTS
 - (2) PARTIALLY RELEVANT [Y-TYPE] DOCUMENTS
 - (3) BACKGROUND [A-TYPE] DOCUMENTS
 - (4) DOCUMENTS CITED BY APPLICANT PTO-1449

10/17/2004

| | Hits | Search Text | DBs |
|----|------|---|-------------------|
| 1 | 99 | ((rear\$1view (rear adj view) external signaling) adj mirror) AND diffuser | USPAT; US-PGPUB |
| 2 | 56 | ((rear\$1view (rear adj view) external signaling) adj mirror) AND diffuser | USPAT |
| 3 | 70 | (((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) | USPAT; US-PGPUB |
| 4 | 49 | (((rear\$1view (rear adj view)) adj mirror) same heater) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))) | USPAT; US-PGPUB |
| 5 | 13 | (((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))) | USPAT; US-PGPUB |
| 6 | 40 | ((((((rear\$1view (rear adj view)) adj mirror) same heater) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3)))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) (((((rear\$1view (rear adj view)) adj mirror) same (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) and (circuit same retain\$3) | USPAT; US-PGPUB |
| 7 | 11 | ((((((rear\$1view (rear adj view)) adj mirror) same heater) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3)))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) (((((rear\$1view (rear adj view)) adj mirror) same (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) and (carrier same retain\$3) | USPAT; US-PGPUB |
| 8 | 3 | ((((((rear\$1view (rear adj view)) adj mirror) same heater) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3)))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) (((((rear\$1view (rear adj view)) adj mirror) same (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) and (connector near4 (primary adj (wire bundle cable))) | USPAT; US-PGPUB |
| 9 | 6 | ((((((rear\$1view (rear adj view)) adj mirror) same heater) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3)))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) (((((rear\$1view (rear adj view)) adj mirror) same (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) and (circuit same circuit same releas\$7)) | USPAT; US-PGPUB |
| 10 | 22 | ((((((rear\$1view (rear adj view)) adj mirror) same heater) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3)))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) (((((rear\$1view (rear adj view)) adj mirror) same (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) and (polymer\$2 near2 (multi\$4layer layer\$1)) | USPAT; US-PGPUB |
| 11 | 819 | ((rear\$1view (rear adj view) external signaling) adj mirror) AND electrochromic | USPAT; US-PGPUB |
| 12 | 287 | ((rear\$1view (rear adj view) external signaling) adj mirror) AND electrochromic and led | USPAT; US-PGPUB |
| 13 | 170 | ((rear\$1view (rear adj view) external signaling) adj mirror) AND electrochromic and led | USPAT |
| 14 | 63 | ((rear\$1view (rear adj view) external signaling) adj mirror) AND diffuser AND electrochromic | USPAT; US-PGPUB |
| 15 | 50 | ((((((rear\$1view (rear adj view)) adj mirror) same heater) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3)))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) (((((rear\$1view (rear adj view)) adj mirror) same (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))))))) (((((rear\$1view (rear adj view)) adj mirror)) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3)))) and electrochromic) | EPO; JPO; DERWENT |
| 16 | 46 | (((rear\$1view (rear adj view)) adj mirror) same (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3)))) | EPO; JPO; DERWENT |
| 17 | 3 | (((rear\$1view (rear adj view)) adj mirror) same heater same electrochromic) | EPO; JPO; DERWENT |
| 18 | 1 | (((rear\$1view (rear adj view)) adj mirror)) and (turn\$1signal (turn\$3 near3 (signal\$1 indicat\$3))) and electrochromic | EPO; JPO; DERWENT |
| 19 | 4 | ((rear\$1view (rear adj view) external signaling) adj mirror) AND diffuser | EPO; JPO; DERWENT |
| 20 | 43 | ((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) AND (((rear\$1view (rear ADJ view)) ADJ mirror) SAME (heater OR ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)) SAME electrochromic)) | USPAT; US-PGPUB |
| 21 | 15 | (((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) SAME diffus\$4) AND (((rear\$1view (rear ADJ view)) ADJ mirror) SAME (heater OR ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)) SAME electrochromic)) | USPAT; US-PGPUB |
| 22 | 5 | ((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) AND (((rear\$1view (rear ADJ view)) ADJ mirror) SAME (heater AND ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)) SAME electrochromic)) | USPAT; US-PGPUB |

D/H/330

| | Hits | Search Text | DBs |
|----|------|---|-----------------|
| 23 | 3 | ((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) SAME diffus\$4) AND (((rear\$1view (rear ADJ view) ADJ mirror) SAME (heater AND ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)) SAME electrochromic)) | USPAT; US-PGPUB |
| 24 | 4 | ((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) SAME diffus\$4 SAME (light NEAR3 source)) AND (((rear\$1view (rear ADJ view) ADJ mirror) SAME (heater OR ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)) SAME electrochromic)) | USPAT; US-PGPUB |
| 25 | 41 | diffus\$3 AND (((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) AND (((rear\$1view (rear ADJ view) ADJ mirror) SAME (heater OR ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)))))) | USPAT; US-PGPUB |
| 26 | 74 | ((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) AND (((rear\$1view (rear ADJ view) ADJ mirror) SAME (heater OR ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)))))) | USPAT; US-PGPUB |
| 27 | 17 | ((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) SAME diffus\$4) AND (((rear\$1view (rear ADJ view) ADJ mirror) SAME (heater OR ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)))))) | USPAT; US-PGPUB |
| 28 | 17 | ((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) AND (((rear\$1view (rear ADJ view) ADJ mirror) SAME (heater AND ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)))))) | USPAT; US-PGPUB |
| 29 | 8 | ((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) SAME diffus\$4) AND (((rear\$1view (rear ADJ view) ADJ mirror) SAME (heater AND ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)))))) | USPAT; US-PGPUB |
| 30 | 6 | ((area region opening aperture hole) WITH (pass\$3 transmi\$5 transparent) WITH light) SAME diffus\$4 SAME (light NEAR3 source)) AND (((rear\$1view (rear ADJ view) ADJ mirror) SAME (heater OR ((turn\$1signal OR turn\$3) NEAR3 (signal\$1 indicat\$3)))))) | USPAT; US-PGPUB |
| 31 | 41 | ((illinois ADJ tool ADJ works).AS.) AND diffus\$3 | USPAT; US-PGPUB |
| 32 | 4 | ((illinois ADJ tool ADJ works).AS.) AND diffus\$3 and mirror | USPAT; US-PGPUB |
| 33 | 1 | ((illinois ADJ tool ADJ works).AS.) AND (((rear\$1view (rear adj view) external signaling) adj mirror) AND diffuser) | USPAT; US-PGPUB |
| 34 | 2 | (harman adj automotive).as. and diffus\$3 and mirror | USPAT; US-PGPUB |
| 35 | 50 | (byker-h\$-j\$).IN. | USPAT; US-PGPUB |
| 36 | 39 | ((byker-h\$-j\$).IN.) and electrochromic and diffus\$3 | USPAT; US-PGPUB |
| 37 | 36 | ((byker-h\$-j\$).IN.) and electrochromic same diffus\$3 | USPAT; US-PGPUB |
| 38 | 4 | (Bulgajewski-Edward).IN. | USPAT |
| 39 | 1 | (Bulgajewski-Edward-F).IN. | USPAT |
| 40 | 2 | (norris-timothy-a).IN. | USPAT |
| 41 | 591 | (359/265).CCLS. | USPAT; US-PGPUB |
| 42 | 289 | (359/267).CCLS. | USPAT; US-PGPUB |
| 43 | 123 | (359/274).CCLS. | USPAT; US-PGPUB |
| 44 | 72 | (359/528).CCLS. | USPAT; US-PGPUB |
| 45 | 312 | (362/494).CCLS. | USPAT; US-PGPUB |
| 46 | 91 | (362/498).CCLS. | USPAT; US-PGPUB |
| 47 | 95 | (((362/494).CCLS.) ((362/498).CCLS.)) and DIFFUS\$3 | USPAT; US-PGPUB |
| 48 | 75 | (((362/494).CCLS.) ((362/498).CCLS.)) and DIFFUS\$3 | USPAT |

10/14/2010
05/230

| | C | 1 | 2 | 3 | 4 | Document ID ▼ | Title | Current OR |
|----|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|---------------|---|------------|
| 1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6426485 B1 | Light diffusing signal mirror heater | 219/219 |
| 2 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | US 6307188 B1 | Heater with PTC element an buss system | 219/505 |
| 3 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6264353 B1 | Exterior mirror with supplement turn signal | 362/494 |
| 4 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6195194 B1 | Lightweight electrochromic mirror | 359/267 |
| 5 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6166848 A | Electrochromic rearview mirror incorporating a third surface metal reflector and a display/signal light | 359/267 |
| 6 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | US 6132072 A | Led assembly | 362/494 |
| 7 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6124886 A | Modular rearview mirror assembly | 348/148 |
| 8 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6111684 A | Electrochromic rearview mirror incorporating a third surface metal reflector and a display/signal light | 359/267 |
| 9 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6076948 A | Electromagnetic radiation emitting or receiving assembly | 362/494 |
| 10 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6045243 A | Mirror assembly | 362/494 |
| 11 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | US 6005724 A | Mirror coating, mirror utilizing same, and a mirror assembly | 359/884 |
| 12 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | US 5938320 A | Enhanced illuminated polymeric indicator employed in a mirror housing of an automotive vehicle | 362/494 |
| 13 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | US 5825527 A | Information display area on electrochromic mirrors having a third surface metal reflector | 359/267 |

| | C | 1 | 2 | 3 | 4 | Document ID ▾ | Title | Current OR |
|----|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------|--|------------|
| 14 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | US 5803579 A | Illuminator assembly incorporating light emitting diodes | 362/516 |
| 15 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 5788357 A | Mirror assembly | 362/494 |
| 16 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | US 5587699 A | Exterior mirror with information display | 340/475 |
| 17 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5481409 A | Mirror assembly | 359/839 |
| 18 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | US 5436741 A | Holographic signaling mirror | 359/15 |
| 19 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | US 5313335 A | Blindzone signal indicator | 359/839 |
| 20 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5151824 A | Vehicular outside mirror assembly | 359/604 |
| 21 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 20020171954 A1 | Rearview mirror assembly construction | 359/877 |
| 22 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 20020171906 A1 | Rearview mirror constructed for efficient assembly | 359/265 |

10/14/330